



**MULTI-PURPOSE
TRANSPORT**



SNIJDERS CARE manufactures and supplies internal transport systems. In addition to the extensive range of standard products covered in this brochure, we can meet custom requirements in size and finish and fully customize solutions for new or existing departments. Our unchanging priority is to deliver the best possible end product based on the user's experience and knowledge of the market.

*Specifications are subject to change.

CONTENTS

PAGE

STAINLESS STEEL MULTI-PURPOSE CARTS AND TABLES	
• STAINLESS STEEL MULTI-PURPOSE CARTS	4
• STAINLESS STEEL MULTI-PURPOSE TABLES	6

ICONS



Stainless steel frame



Swivel castors (with/without brake)



Donut bumpers



Push handle

STAINLESS STEEL MULTI-PURPOSE CARTS AND TABLES

These reliable carts and tables can be deployed in every department. They are made of Stainless Steel, which is essential for an effective bacteria control in nursing homes and hospitals. This allows them to meet the current quality standards. Standard on all models:

- all joints welded around for stability and optimum hygiene.

Available upon request.

For the multi-purpose carts:

- 4 standard swivel casters, Ø 125 mm including brake
- massive colored shelves
- stainless steel flat shelves
- stainless steel shelves including ridge.

For the multi-purpose tables:

- 4 swivel casters, Ø 100 mm of which 2 or 4 pieces including brake
- 4 rubber donut bumpers on the corners.

MFC642VK



**MULTI-PURPOSE CART WITH
TWO SHELVES: 600 X 400 MM**

A stainless steel frame Ø 22 mm (304), welded around for stability and optimum hygiene, including a handle bar on each side.

Two massive white shelves, size each: 600 x 400 mm. Removable for easy cleaning. Maximum load per shelf: 80 kg. Total load capacity per cart: 200 kg. Also suitable for standard utility bins, size: 600 x 400 mm.

Height of upper shelf: 845 mm. Height of the lower shelf: 200 mm.

Distance between both shelves: 610 mm. Mounted on four swivel casters with grey rubber tyres, Ø 125 mm, of which two have brakes. Including rubber donut bumpers on the corners.

ORDER NO.

WIDTH X DEPTH X HEIGHT

MFC642VK

730 X 540 X 965 MM



MFC643VK

**MULTI-PURPOSE CART WITH
THREE SHELVES: 600 X 400 MM**

A stainless steel frame Ø 22 mm (304), welded around for stability and optimum hygiene, including a handle bar on each side. Three massive white shelves, size each: 600 x 400 mm. Removable for easy cleaning. Maximum load per shelf: 80 kg. Total load capacity per cart: 200 kg. Also suitable for standard utility bins, size: 600 x 400 mm. Height of upper shelf: 845 mm.

Height of the lower shelf: 200 mm. Distance between the three shelves: 300 mm. Mounted on four swivel casters with grey rubber tyres, Ø 125 mm, of which two have brakes. Including rubber donut bumpers on the corners.

Distance between shelves: 300 mm.

ORDER NO.

WIDTH X DEPTH X HEIGHT

MFC643VK

730 X 540 X 965 MM



MFC862VK

MULTI-PURPOSE CART WITH TWO SHELVES: 800 X 600 MM

A stainless steel frame \varnothing 22 mm (304), welded around for stability and optimum hygiene, including a handle bar on each side. Two massive white shelves, size each: 800 x 600 mm. Removable for easy cleaning. Maximum load per shelf: 80 kg. Total load capacity per cart: 200 kg. Also suitable for standard utility bins, size: 600 x 400 mm. Height of upper shelf: 845 mm. Height of the lower shelf: 200 mm. Distance between both shelves: 610 mm. Mounted on four swivel casters with grey rubber tyres, \varnothing 125 mm, of which two have brakes. Including rubber donut bumpers on the corners. Distance between shelves: 610 mm.

ORDER NO.	WIDTH X DEPTH X HEIGHT
MFC862VK	940 X 730 X 965 MM

MFC863VK



MULTI-PURPOSE CART WITH THREE SHELVES: 800 X 600 MM

A stainless steel frame \varnothing 22 mm (304), welded around for stability and optimum hygiene, including a handle bar on each side. Three massive white shelves, size each: 800 x 600 mm. Removable for easy cleaning. Maximum load per shelf: 80 kg. Total load capacity per cart: 200 kg. Also suitable for standard utility bins, size: 600 x 400 mm. Height of upper shelf: 845 mm. Height of the lower shelf: 200 mm. Distance between the three shelves: 300 mm. Mounted on four swivel casters with grey rubber tyres, \varnothing 125 mm, of which two have brakes. Including rubber donut bumpers on the corners. Distance between shelves: 610 mm.

ORDER NO.	WIDTH X DEPTH X HEIGHT
MFC863VK	940 X 730 X 965 MM



TS621



MULTI-PURPOSE TABLE WITH TWO SHELVES: 600 X 400 MM

A stainless steel frame, square 25 mm (304), welded around for stability and optimum hygiene. Two stainless steel shelves, size each: 600 x 400 mm. The upper shelf is flat, the bottom shelf has a water-retaining edge. Maximum load per shelf: 40 kg. Total load capacity per table: 100 kg. Height of upper shelf: 840 mm. Height of the lower shelf: 230 mm. Distance between both shelves: 610 mm. Mounted on four swivel casters with grey rubber tyres, Ø 100 mm.

ORDER NO.

WIDTH X DEPTH X HEIGHT

TS621

640 X 440 X 840 MM



TS631

MULTIFUNCTIONEEL TABLE WITH THREE SHELVES: 600 X 400 MM

A stainless steel frame, square 25 mm (304), welded around for stability and optimum hygiene. Three stainless steel shelves including a water-retaining edge, size each: 600 x 400 mm. Maximum load per shelf: 40 kg. Total load capacity per table: 100 kg. Height of upper shelf: 840 mm. Height of the lower shelf: 230 mm. Distance between the three shelves: 200 mm. Mounted on four swivel casters with grey rubber tyres, Ø 100 mm.

ORDER NO.

WIDTH X DEPTH X HEIGHT

TS631

640 X 440 X 840 MM



TSI621

MULTI-PURPOSE TABLE WITH TWO SHELVES: 600 X 400 MM

A stainless steel frame, square 25 mm (304), welded around for stability and optimum hygiene. Two stainless steel shelves, size each: 600 x 400 mm. The upper shelf is flat, surrounded by a railing, 70 mm high. The bottom shelf has a water-retaining edge. Maximum load per shelf: 40 kg. Total load capacity per table: 100 kg. Height of upper shelf: 840 mm. Height of the lower shelf: 230 mm. Distance between both shelves: 610 mm. Mounted on four swivel casters with grey rubber tyres, Ø 100 mm.

ORDER NO.

WIDTH X DEPTH X HEIGHT

TSI621

640 X 440 X 840 MM

TSI631



MULTI-PURPOSE TABLE WITH THREE SHELVES: 600 X 400 MM

A stainless steel frame, square 25 mm (304), welded around for stability and optimum hygiene. Three stainless steel shelves, size each: 600 x 400 mm. The upper shelf is flat, surrounded by a railing, 70 mm high. The two shelves below have a water-retaining edge. Maximum load per shelf: 40 kg. Total load capacity per table: 100 kg. Height of upper shelf: 840 mm. Height of the lower shelf: 230 mm. Distance between the three shelves: 200 mm. Mounted on four swivel casters with grey rubber tyres, Ø 100 mm.

ORDER NO.

WIDTH X DEPTH X HEIGHT

TSI631

640 X 440 X 840 MM

