



MULTI-PURPOSE TRANSPORT



STAINLESS STEEL MULTI-PURPOSE CARTS AND TABLES

These reliable carts and tables can be deployed in every department. They are made of Stainless Steel, which is essential for an effective bacteria control in nursing homes and hospitals. This allows them to meet the current quality standards. Standard on all models:

- all joints welded around for stability and optimum hygiene.

Available upon request.

For the multi-purpose carts:

- 4 standard swivel casters, Ø 125 mm including brake
- massive shelves
- stainless steel flat shelves
- stainless steel shelves including ridge
- 4 rubber donut bumpers on the corners"

For the multi-purpose tables:


- 4 swivel casters, Ø 100 mm of which 2 or 4 pieces including brake
- Equipped with stainless steel flat shelves or stainless steel shelves including ridge


SNIJDERS CARE manufactures and supplies internal transport systems. In addition to the extensive range of standard products covered in this brochure, we can meet custom requirements in size and finish and fully customize solutions for new or existing departments. Our unchanging priority is to deliver the best possible end product based on the user's experience and knowledge of the market.


*Specifications are subject to change.


CONTENTS	PAGE
STAINLESS STEEL MULTI-PURPOSE CARTS AND TABLES	4
STAINLESS STEEL MULTI-PURPOSE CARTS	6
STAINLESS STEEL MULTI-PURPOSE TABLES	6
ACCESSORIES	10

ICONS

*Stainless steel frame*

*Swivel castors (with/without brake)*

*Donut bumpers*

*Push handle*

The lifetime of our products in particular contributes to sustainable entrepreneurship. **Trolleys that have been in use for more than 20 years is very common. The simplicity of maintenance and repair ensures optimal use.**

The high quality stainless steel not only contributes to an anti-bacterial ability, but also to the durability.

All parts - the stainless steel and also the plastics - of the trolleys are highly recyclable at the end of their useful life.





Snijders contributes to the blue economy

Provides social and economic benefits for current and future generations

Restores protects and maintains diverse, productive marine ecosystems

Preserves natural resources through clean technologies, renewable energy and circular material flows

SHOULD A TROLLEY EVER COME TO THE END OF ITS LIFE CYCLE, IT CAN BE RECYCLED FOR MORE THAN 99%.



All products have a MDR Class I certification

Class I medical devices will require involvement of a Notified Body if they are sterile, have a measuring function or are re-usable surgical instruments. Manufacturers need to demonstrate that the medical device meets the requirements in the MDR or IVDR by carrying out a conformity assessment.

MFC642VK



MULTI-PURPOSE CART WITH TWO SHELVES: 600 X 400 MM

A stainless steel frame Ø 22 mm (304), welded around for stability and optimum hygiene, including a handle bar on each side.

Two massive white shelves, size each: 600 x 400 mm. Removable for easy cleaning. Maximum load per shelf: 80 kg. Total load capacity per cart: 200 kg. Also suitable for standard utility bins, size: 600 x 400 mm. Height of upper shelf: 845 mm. Height of the lower shelf: 200 mm. Distance between both shelves: 610 mm. Mounted on four swivel casters with grey rubber tyres, Ø 125 mm, of which two have brakes. Including rubber donut bumpers on the corners.

ORDER NO.

WIDTH X DEPTH X HEIGHT

MFC642VK

730 X 540 X 965 MM

Also available with stainless steel flat shelves (MFC642SF)

Also available with stainless steel shelves with ridge (MFC642SR)



Bumper (W-ST-7523)



MFC643VK

MULTI-PURPOSE CART WITH THREE SHELVES: 600 X 400 MM

A stainless steel frame Ø 22 mm (304), welded around for stability and optimum hygiene, including a handle bar on each side. Three massive white shelves, size each: 600 x 400 mm. Removable for easy cleaning. Maximum load per shelf: 80 kg. Total load capacity per cart: 200 kg. Also suitable for standard utility bins, size: 600 x 400 mm. Height of upper shelf: 845 mm.

Height of the lower shelf: 200 mm. Distance between the three shelves: 300 mm. Mounted on four swivel casters with grey rubber tyres, Ø 125 mm, of which two have brakes. Including rubber donut bumpers on the corners.

Distance between shelves: 300 mm.

ORDER NO.

WIDTH X DEPTH X HEIGHT

MFC643VK

730 X 540 X 965 MM

Also available with stainless steel flat shelves (MFC643SF)

Also available with stainless steel shelves with ridge (MFC643SR)



MFC862VK

MULTI-PURPOSE CART WITH TWO SHELVES: 800 X 600 MM

A stainless steel frame Ø 22 mm (304), welded around for stability and optimum hygiene, including a handle bar on each side. Two massive white shelves, size each: 800 x 600 mm. Removable for easy cleaning. Maximum load per shelf: 80 kg. Total load capacity per cart: 200 kg. Also suitable for standard utility bins, size: 600 x 400 mm. Height of upper shelf: 845 mm. Height of the lower shelf: 200 mm. Distance between both shelves: 610 mm. Mounted on four swivel casters with grey rubber tyres, Ø 125 mm, of which two have brakes. Including rubber donut bumpers on the corners. Distance between shelves: 610 mm.

ORDER NO.	WIDTH X DEPTH X HEIGHT
MFC862VK	940 X 730 X 965 MM

*Also available with stainless steel flat shelves (MFC862SF)
Also available with stainless steel shelves with ridge (MFC862SR)*

7

MFC863VK



MULTI-PURPOSE CART WITH THREE SHELVES: 800 X 600 MM

A stainless steel frame Ø 22 mm (304), welded around for stability and optimum hygiene, including a handle bar on each side. Three massive white shelves, size each: 800 x 600 mm. Removable for easy cleaning. Maximum load per shelf: 80 kg. Total load capacity per cart: 200 kg. Also suitable for standard utility bins, size: 600 x 400 mm. Height of upper shelf: 845 mm. Height of the lower shelf: 200 mm. Distance between the three shelves: 300 mm. Mounted on four swivel casters with grey rubber tyres, Ø 125 mm, of which two have brakes. Including rubber donut bumpers on the corners. Distance between shelves: 610 mm.

ORDER NO.	WIDTH X DEPTH X HEIGHT
MFC863VK	940 X 730 X 965 MM

*Also available with stainless steel flat shelves (MFC863SF)
Also available with stainless steel shelves with ridge (MFC863SR)*



TS621



MULTI-PURPOSE TABLE WITH TWO SHELVES: 600 X 400 MM

A stainless steel frame, square 25 mm (304), welded around for stability and optimum hygiene. Two stainless steel shelves, size each: 600 x 400 mm. The upper shelf is flat, the bottom shelf has a water-retaining edge. Maximum load per shelf: 40 kg. Total load capacity per table: 100 kg. Height of upper shelf: 840 mm. Height of the lower shelf: 230 mm. Distance between both shelves: 610 mm. Mounted on four swivel casters with grey rubber tyres, Ø 100 mm.

ORDER NO.

WIDTH X DEPTH X HEIGHT

TS621

640 X 440 X 840 MM



TS631

MULTIFUNCTIONEEL TABLE WITH THREE SHELVES: 600 X 400 MM

A stainless steel frame, square 25 mm (304), welded around for stability and optimum hygiene. Three stainless steel shelves including a water-retaining edge, size each: 600 x 400 mm. Maximum load per shelf: 40 kg. Total load capacity per table: 100 kg. Height of upper shelf: 840 mm. Height of the lower shelf: 230 mm. Distance between the three shelves: 200 mm. Mounted on four swivel casters with grey rubber tyres, Ø 100 mm.

ORDER NO.

WIDTH X DEPTH X HEIGHT

TS631

640 X 440 X 840 MM



TSI621

MULTI-PURPOSE TABLE WITH TWO SHELVES: 600 X 400 MM

A stainless steel frame, square 25 mm (304), welded around for stability and optimum hygiene. Two stainless steel shelves, size each: 600 x 400 mm. The upper shelf is flat, surrounded by a railing, 70 mm high. The bottom shelf has a water-retaining edge. Maximum load per shelf: 40 kg. Total load capacity per table: 100 kg. Height of upper shelf: 840 mm. Height of the lower shelf: 230 mm. Distance between both shelves: 610 mm. Mounted on four swivel casters with grey rubber tyres, Ø 100 mm.

ORDER NO.	WIDTH X DEPTH X HEIGHT
TSI621	640 X 440 X 840 MM

TSI631



MULTI-PURPOSE TABLE WITH THREE SHELVES: 600 X 400 MM

A stainless steel frame, square 25 mm (304), welded around for stability and optimum hygiene. Three stainless steel shelves, size each: 600 x 400 mm. The upper shelf is flat, surrounded by a railing, 70 mm high. The two shelves below have a water-retaining edge. Maximum load per shelf: 40 kg. Total load capacity per table: 100 kg. Height of upper shelf: 840 mm. Height of the lower shelf: 230 mm. Distance between the three shelves: 200 mm. Mounted on four swivel casters with grey rubber tyres, Ø 100 mm.

ORDER NO.	WIDTH X DEPTH X HEIGHT
TSI631	640 X 440 X 840 MM



ACCESSORIES

SWIVEL CASTORS FOR CARTS (125 MM)

Swivel caster 125 mm
for ward cart with
expander connection
W-300



Swivel caster 125 mm
for ward cart with
brake and expander
connection W-301



SWIVEL CASTORS FOR TABLES (100 MM)

Swivel caster 100 mm
for ward cart with
expander connection
W-203



Swivel caster 100 mm
for ward cart with
brake and expander
connection W-204



THE MOST DURABLE MEDICAL CARTS AND TROLLEYS COMPLETELY MADE IN THE NETHERLANDS

SNIJDERS CARE: KNOWLEDGE OF MEDICAL LOGISTIC SYSTEMS

SNIJDERS LABS forms part of the Snijders Group, which actively delivers equipment and products for scientific research & development as well as internal transport systems and examination couches for the health care sector under SNIJDERS CARE. All design, manufacture and testing is held in house to assure high quality production and investment in new technologies for the production of all Snijders products. The total control of the manufacturing line means that Snijders can offer total quality, in-depth knowledge and detailed assistance to all of their clients.



Office and Production
Laurent Janssensstraat 105

5048 AR Tilburg
The Netherlands

T +31 13 750 15 55
F +31 13 463 86 35

info@snijderslabs.com
www.snijderslabs.com

